# ZOOLOGICA

# SCIENTIFIC CONTRIBUTIONS OF THE NEW YORK ZOOLOGICAL SOCIETY



# VOLUME XIX

APRIL 3, 1935—DECEMBER 31, 1935

Numbers 1-6 Inclusive

PUBLISHED BY THE SOCIETY
THE ZOOLOGICAL PARK, NEW YORK

## New Pork Zoological Society

General Office: 101 Park Avenue, New York City

#### Officers

President, Madison Grant

Vice-Presidents, W. Redmond Cross' and Kermit Roosevelt

Chairman, Executive Committee, Madison Grant

Treasurer, Cornelius R. Agnew

Secretary, Henry Fairfield Osborn, Jr.

#### Scientific Staff

Zoological Park

W. REID BLAIR, Director

WILLIAM T. HORNADAY, Director Emeritus

RAYMOND L. DITMARS, Curator of Mammals and Reptiles

LEE S. CRANDALL, Curator of Birds

CHARLES V. NOBACK, Veterinarian

CLAUDE W. Leister, Ass't to the Director and Curator, Educational Activities H. C. Raven, Prosector

Edward R. Osterndorff, Photographer
William Bridges, Editor and Curator of Publications

#### Aquarium

CHARLES H. TOWNSEND, Director
C. M. Breder, Jr., Assistant Director

#### Department of Tropical Research

William Beebe, Director and Honorary Curator of Birds
John Tee-Van, General Associate
Gloria Hollister, Research Associate

#### Editorial Committee

MADISON GRANT, Chairman

W. REID BLAIR WILLIAM BEEBE CHARLES H. TOWNSEND GEORGE BIRD GRINNELL

WILLIAM BRIDGES

## TITLES OF PAPERS

PAGE

1—The	distribution of certain whales as shown by logbook records of American whaleships	1
2—The	vampire bat. A presentation of undescribed habits and review of its history Raymond L. Ditmars & Arthur M. Greenhall	53
3—A se	econd list of Antillean reptiles and amphibians. Thomas Barbour	77
4—The	reproductive habits of the common catfish, <i>Ameiurus nebulosus</i> (Le Sueur), with a discussion of their significance in ontogeny and phylogeny	143
5—Sex	recognition in the guppy, Lebistes reticulatus Peters.  C. M. Breder, Jr. & C. W. Coates	187
6—The	fishes of Union Island, Grenadines, British West Indies, with	

William Beebe & Gloria Hollister 209

the description of a new species of star-gazer.



## LIST OF ILLUSTRATIONS

TI		ISTRIBUTION OF CERTAIN WHALES AS SHOWN BY OGBOOK RECORDS OF AMERICAN WHALESHIPS	7
			AGE
Fig.	1.	A Nineteenth Century Whaler, the Bark Morning Star, of New Bedford	2
Fig.	2.	A chart of ocean currents	6
Pl.	I.	Distribution of the sperm whale based on logbook records dating from 1761 to 1920. Chart A—April-September, inclusive	ket
Pl.	II.	Distribution of the sperm whale based on logbook records dating from 1761 to 1920. Chart B—October-March, inclusive	kot
Pl.	III.	Distribution of the northern and southern right whales based on logbook records dating from 1785 to 1913.  Chart C	
P1.	IV.	Distribution of bowhead and humpback whales based on logbook records—mostly Nineteenth Century. Chart D	ket
	THE	VAMPIRE BAT. A PRESENTATION OF UNDESCRIBED HABITS AND REVIEW OF ITS HISTORY.	
Fig. Pl.	3. V.	Head of vampire bat, Desmodus rotundus murinus Wagner Fig. 4. Spear-nosed bat, Phyllostomus hastatus panamensis Allen.	68
		Fig. 5. Vampire bat, Desmodus rotundus murinus Wagner, walking.	
		Fig. 6. Vampire bat, Desmodus rotundus murinus Wagner, walkingOpp.	68
Pl.	VI.	Fig. 7. Vampire bat, Desmodus rotundus murinus Wagner, drinking blood.	
		Fig. 8. Vampire bat, Desmodus rotundus murinus Wagner, at completion of meal.	
Pl.	VII.	<ul> <li>Fig. 9. Vampire bat, Desmodus rotundus murinus Wagner. preparing to leap upward for flight</li></ul>	70
		with thick pelage. Fig. 11. Another viewOpp.	72

4747	TITIE	PRODUCTIVE HABITS OF THE COMMON CATTIS.  RUS NEBULOSUS (LE SUEUR), WITH A DISCUSSION OF R SIGNIFICANCE IN ONTOGENY AND PHYLOGENY.	H, F
Fig.	12.	Ameiurus nebulosus. After a site for the nest is selected, the pair of catfishes spend much time resting quietly side by side with the tails pointing out	80
Fig.	13.	As spawning becomes more imminent the fishes become active and circle continually in an agitated fashion 1	80
Fig.	14.	Ameiurus nebulosus. Just before spawning, the circle that their two bodies form flattens so that the fish are in contact, head to tail	81
Fig.	15.	At the moment of egg laying. The accumulating pile of eggs may be seen under the female.	
Fig.	16.	Ameiurus nebulosus. Immediately after spawning the fishes separate slightly and rest	82
Fig.	17.	Sometimes a clump of eggs is dislodged and knocked out of the nest. Here the female is feeling them with her	00
Fig.	18.	barbels	82
Fig.	19.	eggs	83
r ig.	10.	and may aid in aeration	83
Fig.	20.	Ameiurus nebulosus. Both parents incubating at the same time.	84
Fig.	21.	Both parents "rounding up" the young fish, which may be seen as an oval black spot between them	84
Fig.	22.	Opladelus olivaris. Typical posture of an incubating male 1	85
Fig.	23.	Opladelus olivaris. Typical posture of an incubating male 1	.85
SEX	REC	COGNITION IN THE GUPPY, LEBISTES RETICULATE PETERS.	JS
Fig.	24.	Graphic arrangement of reactions of male Lebistes in a study of sex recognition	94
Fig.	25.	Graphic arrangement of conditioning of male <i>Lebistes</i> to females in a beaker floated in their aquaria, and to	
		empty beakers 1	.97
T	HE :	FISHES OF UNION ISLAND, GRENADINES, BRITISH WEST INDIES, WITH THE DESCRIPTION OF A NEW SPECIES OF STAR-GAZER.	
Fig.	26.	Panorama of Chatham Bay, Union Island, with the Antares at anchor	
Fig.	27.	Callallata and duality and the	210